


This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Single Frame Enhanced

- 1 Two layers Gyproc plasterboard or inner layer Gyproc plasterboard and outer layer Rigidur gypsum fibre board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Gypframe AcouStuds at specified centres
- 3 Isover insulation where required
- 4 Gypframe Deep Channel suitably fixed to floor at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels). Extra Deep Channel for heights over 8000mm
- 5 Gyproc Sealant for optimum sound insulation
- 6 Gyproc jointing material bulk fill where gap exceeds 5mm
- 7 Indicative skirting

- 8 Gypframe GFS1 Fixing Strap progressively inserted between board layers to support outer layer horizontal board joints
- 9 Gypframe 'C' stud suitably fixed to wall at 600mm centres (in two lines staggered by 300mm for 92mm and 146mm studs)



Base and horizontal board joint

Wall abutment


Title:GypWall Single Frame EnhancedScale at A4:1:5Drawn:MRCAcouStuds and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-122-Z3L2-01Revision:




This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Single Frame Enhanced

- 1 Two layers Gyproc plasterboard or inner layer Gyproc plasterboard and outer layer Rigidur gypsum fibre board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Gypframe AcouStuds at specified centres
- 3 Isover insulation where required
- 4 Gypframe 'C' stud fixed through board to stud(s) with suitable British Gypsum screws at 600mm centres (in two lines staggered by 300mm for 92mm and 146mm studs)
- 5 Gypframe 'C' stud at junction (additional AcouStud for 92mm and 146mm studs in adjacent partition)
- 6 Gypframe GA6 Splayed Angle to receive outer layer board fixings
- 7 Minimum angle ensures Gypframe GA6 Splayed Angle is fixed to studs at external angle
- 8 Nominal 10mm gap between boards





Splayed angle

Corner

Optimum acoustic performance and reduced flanking transmission

Title:GypWall Single Frame EnhancedScale at A4: 1:5Drawn: MRCAcouStuds and two layers boardDate: October 2021Approved: DRMStandard details read with project specificationDwg No.: ST-122-Z3L2-02Revision:





This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Single Frame Enhanced

- 1 Two layers Gyproc plasterboard or inner layer Gyproc plasterboard and outer layer Rigidur gypsum fibre board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Gypframe AcouStuds at specified centres
- 3 Isover insulation where required
- 4 Gypframe 'C' stud fixed through board to studs with suitable British Gypsum screws at 600mm centres in two lines staggered by 300mm
- 5 Additional Gypframe AcouStuds at junction
- 6 Nominal 10mm gap between boards

- 7 Gypframe 'C' stud fixed through board to stud(s) with suitable British Gypsum screws at 600mm centres (in two lines staggered by 300mm for 92mm studs)
- 3 Gypframe 'C' stud at junction (additional AcouStud for 92mm studs in adjacent partition)
- 9 One layer Rigidur gypsum fibre board fixed with suitable Rigidur screws at 300mm centres (200mm centres at external angles)





T-junction

Optimum acoustic performance and reduced flanking transmission

T-junction other partition

High meeting low acoustic performance

Title:GypWall Single Frame EnhancedScale at A4: 1:5Drawn:MRCAcouStuds and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-122-Z3L2-03Revision:

Technical Support Team | british-gypsum.com



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Single Frame Enhanced

Advice should be sought from the door manufacturer or installer prior to construction of this detail

- 2 **4** 20 6 8 5 1200 1200
- 1 Two layers Gyproc plasterboard or inner layer Gyproc plasterboard and outer layer Rigidur gypsum fibre board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Gypframe AcouStuds at specified centres to maintain stud module
- 3 Isover insulation where required
- 4 Gypframe 'C' stud at jamb
- Gypframe Deep Channel suitably fixed to floor with two pairs of fixings at 150mm centres (four total) and at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels) thereafter. Channel cut and bent to extend 300mm up stud and fixed through both flanges with two suitable British Gypsum wafer head screws. Extra Deep Channel for heights over 8000mm Gypframe Deep Channel cut and bent to
- extend 150mm down stud and fixed through both flanges with two suitable British Gypsum wafer head screws or crimped Indicative timber door frame and architrave
- Gypframe Deep Channel sleeved over stud between returned channels at opening head and base
 - Optional indicative timber stud $64/86/140 \ x$ 30mm (to suit $70/92/146 \ mm$ stud) to extend nominal 50mm above opening height



Maximum door weight 60kg to BS 5234: Parts 1 & 2: 1992 - Heavy and Severe Duty

7 9 1 3

150


Title: GypWall Single Frame Enhanced
Scale at A4: 1:5 1:10
Drawn: MRC
AcouStuds and two layers board
Date: October 2021
Approved: DRM
Standard details read with project specification
Dwg No.: ST-122-Z3L2-04
Revision:



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Single Frame Enhanced

- 1 Two layers Gyproc plasterboard or inner layer Gyproc plasterboard and outer layer Rigidur gypsum fibre board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Gypframe AcouStuds at specified centres
- 3 Isover insulation where required
- 4 Gypframe Deep Channel suitably fixed to soffit at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels). Extra Deep Channel for heights over 8000mm
- 5 Gyproc Sealant for optimum sound insulation
- 6 Gypframe steel angle or timber batten suitably fixed to soffit to retain insulation where required



Head

No deflection allowance

Title:GypWall Single Frame EnhancedScale at A4:1:5Drawn:MRCAcouStuds and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-122-Z3L2-05Revision:



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Single Frame Enhanced

- Two layers Gyproc plasterboard or inner layer Gyproc plasterboard and outer layer Rigidur gypsum fibre board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Gypframe AcouStuds at specified centres
- 3 Isover insulation where required
- Gypframe Deep Channel or Extra Deep Channel (see table) suitably fixed through board to soffit at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels)
- Gyproc Sealant for optimum sound insulation
- Gyproc FireStrip
- One or two channel width strip(s) of board (see table). Two strips pre-fixed to channel with suitable British Gypsum screws at 600mm centres
- Gypframe Channel noggings with ends notched around studs and fixed with suitable British Gypsum wafer head screws, to receive uppermost board fixings (no fixings into head channel). Alternatively Gypframe stud noggings tightly fitted between studs
- Gypframe steel angle or timber batten suitably fixed to nogging to retain insulation where required
- Two 50mm width strips of Glasroc F FireCase fixed to soffit with suitable fire resistant fixings at 600mm centres, or Gypframe GA4 Steel Angle bedded on bead of Gyproc Sealant and fixed to soffit with suitable fire resistant fixings at 600mm centres (see
- 11 Stone mineral wool 33kg/m³ minimum density by others

Alternativ	ve detail	
Stud top A		

DEFLECTION (VERTICAL) HEAD DESIGN				
DEFLECTION DIM. A	DROPPED SOFFIT NOTE 7	CHANNEL NOTE 4	CLOAKING ELEMENT NOTE 10	
1-15mm	One 19mm ^A or 20mm ^B	DC	Two 15mm ^B or GA4	
16-20mm	Two 15mm ^B	DC	Two 15mm ^B	
21-25mm	Two 15mm ^B	DC	Two 20mm ^B	
26-30mm	Two 20mm ^B	DC	Two 20mm ^B	
31-35mm	Two 20mm ^B	EDC	Two 25mm ^B	
36-40mm	Two 25mm ^B	EDC	Two 25mm ^B	
41-45mm	Two 25mm ^B	EDC	Two 30mm ^B	
46-50mm	Two 30mm ^B	EDC	Two 30mm ^B	

A Gyproc CoreBoard

Important information

Fire resistance BS EN 1364-1

90 or 120 minutes through partition subject to specification

Deflection head

Downward (vertical) movement

Rev. A 01.08.22 Annotation update (AJC)

Title: GypWall Single Frame Scale at A4: 1:5 Drawn: **MRC** AcouStuds and two layers board Date: October 2021 Approved: DRM Standard details read with project specification Dwg No.: ST-122-Z3L2-09 Revision:

Technical Support Team | british-gypsum.com

^B Glasroc F FireCase