


This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Twin Frame Independent

- 1 Two layers Gyproc plasterboard or Glasroc specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Two lines of Gypframe 'I' studs at specified centres
- 3 Isover insulation where required
- 4 Gypframe Channel suitably fixed to floor at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels). Deep Channel for heights between 4200mm and 8000mm or Extra Deep Channel for heights over 8000mm
- 5 Gyproc Sealant for optimum sound insulation

- 6 Gyproc jointing material bulk fill where gap exceeds 5mm
- 7 Indicative skirting
- 8 Gypframe GFS1 Fixing Strap progressively inserted between board layers to support outer layer horizontal board joints
- 9 Gypframe 'C' stud suitably fixed to wall at 600mm centres (in two lines staggered by 300mm for 92mm and 146mm studs)



Base and horizontal board joint

Wall abutment


Title:GypWall Twin Frame IndependentScale at A4:1:5Drawn:MRC'I' studs and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-126-Z2L2-01Revision:



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Twin Frame Independent

- 1 Two layers Gyproc plasterboard or Glasroc specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Two lines of Gypframe 'I' studs at specified centres
- 3 Isover insulation where required
- 4 Gypframe 'C' stud fixed through board to stud(s) with suitable British Gypsum screws at 600mm centres (in two lines staggered by 300mm for 92mm and 146mm studs)
- 5 Gypframe 'C' stud at junction (two for 92mm and 146mm studs)
- 6 Gypframe 'C' studs fixed together with suitable British Gypsum wafer head screws at 600mm centres (in two lines staggered by 300mm for 92mm and 146mm studs)
- 7 Gypframe GA6 Splayed Angle to receive outer layer board fixings
- 8 Minimum angle ensures Gypframe GA6 Splayed Angle is fixed to studs at external angle



Splayed angle

Corner


Title:GypWall Twin Frame IndependentScale at A4: 1:5Drawn:MRC'I' studs and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-126-Z2L2-02Revision:



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Twin Frame Independent

- 1 Two layers Gyproc plasterboard or Glasroc specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Two lines of Gypframe 'I' studs at specified centres
- 3 Isover insulation where required
- 4 Gypframe 'C' stud fixed through board to stud(s) with suitable British Gypsum screws at 600mm centres (in two lines staggered by 300mm for 92mm and 146mm studs)
- 5 Gypframe 'C' stud at junction (two for 92mm and 146mm studs)
- 6 Additional Gypframe 'I' stud at junction (two for 92mm and 146mm studs in adjacent partition)
- 7 One layer Gyproc plasterboard or Glasroc specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)



T-junction

T-junction with other partition

Title:GypWall Twin Frame IndependentScale at A4: 1:5Drawn:MRC'I' studs and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-126-Z2L2-03Revision:



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Twin Frame Independent

Advice should be sought from the door manufacturer or installer Two layers Gyproc plasterboard or Glasroc prior to construction of this detail specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles) Two lines of Gypframe 'I' studs at specified centres to maintain stud module Isover insulation where required Two lines of Gypframe 'C' stud at jamb Gypframe Channel suitably fixed to floor with two pairs of fixings at 150mm centres (four total) and at 600mm centres (in two 4 lines staggered by 300mm for 94mm and 148mm channels) thereafter. Channel cut 2 and bent to extend 300mm up stud and fixed through both flanges with two suitable British Gypsum wafer head screws. Deep Channel for heights between 4200mm and 20 8000mm or Extra Deep Channel for heights over 8000mm Gypframe Channel cut and bent to extend 150mm down stud and fixed through both 50 flanges with two suitable British Gypsum wafer head screws or crimped Indicative timber door frame (fixed to timber stud) and architrave Gypframe Channel sleeved over stud 6 between returned channels at opening head 8 Gypframe Channel suitably fixed to floor at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels). Deep Channel for heights between 4200mm Door opening head 9 and 8000mm or Extra Deep Channel for repeats for second heights over 8000mm frame Indicative timber stud 42/54/64/86/140 x ์ 5 30mm (to suit 48/60/70/92/146mm stud) to extend 150mm above opening height 11 15mm plywood to full opening height suitably fixed to studs at 300mm centres 1200 1200 150

Door opening width up to 1200mm

Maximum door weight 60kg to BS 5234: Parts 1 & 2: 1992 - Heavy and Severe Duty

Title:GypWall Twin Frame IndependentScale at A4: 1:5 1:10Drawn:MRC'I' studs and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-126-Z2L2-04Revision:

Partition elevation

(11

(10


3



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Twin Frame Independent

- 1 Two layers Gyproc plasterboard or Glasroc specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- 2 Two lines of Gypframe 'I' studs at specified centres
- 3 Isover insulation where required
- 4 Gypframe Channel suitably fixed to soffit at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels). Deep Channel for heights between 4200mm and 8000mm or Extra Deep Channel for heights over 8000mm
- 5 Gyproc Sealant for optimum sound insulation
- 6 Gypframe steel angle or timber batten suitably fixed to soffit to retain insulation where required



Head

No deflection allowance

Title:GypWall Twin Frame IndependentScale at A4:1:5Drawn:MRC"I" studs and two layers boardDate:October 2021Approved:DRMStandard details read with project specificationDwg No.:ST-126-Z2L2-05Revision:



This drawing provides general guidance where no performance criteria is given and site specific conditions are not taken into account

GypWall Twin Frame Independent

- Two layers Gyproc plasterboard or Glasroc specialist board fixed with suitable British Gypsum screws at 300mm centres (200mm centres at external angles)
- Two lines of Gypframe 'I' studs at specified centres
- Isover insulation where required
- 4 Gypframe Deep Channel or Extra Deep Channel (see table) suitably fixed through board to soffit at 600mm centres (in two lines staggered by 300mm for 94mm and 148mm channels)
- Gyproc Sealant for optimum sound insulation
- Gyproc FireStrip
- One or two channel width strip(s) of board (see table). Two strips pre-fixed to channel with suitable British Gypsum screws at 600mm centres
- Gypframe Channel noggings with ends notched around studs and fixed with suitable British Gypsum wafer head screws, to receive uppermost board fixings (no fixings into head channel)
- Gypframe steel angle or timber batten suitably fixed to soffit to retain insulation where required
- 10 Two 50mm width strips of Glasroc F FireCase fixed to soffit with suitable fire resistant fixings at 600mm centres, or Gypframe GA4 Steel Angle bedded on bead of Gyproc Sealant and fixed to soffit with suitable fire resistant fixings at 600mm centres (see table)
- 11 Stone mineral wool 33kg/m³ minimum density by others

de . v.			10
<u> </u>			-6 -7 -5
Stud top A	ı ·		-10 -4 -8 -11 -9
			2

DEFLECTION (VERTICAL) HEAD DESIGN						
DEFLECTION DIM. A	DROPPED SOFFIT NOTE 7	CHANNEL NOTE 4	CLOAKING ELEMENT NOTE 10			
1-15mm	One 19mm ^A or 20mm ^B	DC	Two 15mm ^B or GA4			
16-20mm	Two 15mm ^B	DC	Two 15mm ^B			
21-25mm	Two 15mm ^B	DC	Two 20mm ^B			
26-30mm	Two 20mm ^B	DC	Two 20mm ^B			
31-35mm	Two 20mm ^B	EDC	Two 25mm ^B			
36-40mm	Two 25mm ^B	EDC	Two 25mm ^B			
41-45mm	Two 25mm ^B	EDC	Two 30mm ^B			
46-50mm	Two 30mm ^B	EDC	Two 30mm ^B			

A Gyproc CoreBoard

Important information

Fire resistance BS EN 1364-1

90 or 120 minutes through partition subject to specification

Deflection head

Downward (vertical) movement

Rev. A 01.08.22 Annotation update (AJC)

Title: GypWall Twin Frame Independent Scale at A4: 1:5 Drawn: **MRC** 'I' studs and two layers board Date: October 2021 Approved: DRM Standard details read with project specification Dwg No.: ST-126-Z2L2-09 Revision:

^B Glasroc F FireCase