

Safety Data Sheet

Thistle® Bond-it







SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 and The Chemicals (Health
and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU
Exit) Regulations 2019 No. 720

Issuing Date 09-Feb-2023 Revision Date 09-Feb-2023 Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Thistle Bond-It

Synonyms None

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Bonding agent

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

British Gypsum East Leake Loughborough Leicestershire LE12 6HX UK

T: +44 (0) 115 945 6123

For further information, please contact

E-mail address bg.technical@saint-gobain.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 115 945 1000

8:30am - 5:00pm Monday - Friday (GMT)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin sensitisation Category 1 - (H317)

2.2. Label elements

Contains 2-Methyl-2H-isothiazol-3-one, 1,2-Benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

(M)SDS Number UL-BG-015



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

Precautionary statements

P102 - Keep out of reach of children.

P261 - Avoid breathing dust or mist.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.

P501 - Dispose of contents/ container in accordance with national regulations.

Additional information

Biocide Labelling: Contains 1,2-Benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one, Bronopol, CMIT/MIT(3:1) to prevent microbial deterioration.

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No (EU Index No)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 μm] 13463-67-7	0.1 - <1	(022-006-00-2) 236-675-5	-	Carc. 2 (H351i) [C]	-	-	-
Bronopol 52-51-7	<1	(603-085-00-8) 200-143-0	-	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)	-	10	10

				STOT SE 3			
				(H335)			
				Aquatic Acute			
				1 (H400)			
1,2-Benzisothiazol-	0.005 - < 0.05	(613-088-00-6)	-	Acute Tox. 4	Skin Sens. 1 ::	1	-
3(2H)-one		220-120-9		(H302)	C>=0.05%		
2634-33-5		220 120 0		Skin Irrit. 2	07 -0.0070		
2001.000				(H315)			
				Eye Dam. 1			
				(H318)			
				Skin Sens. 1			
				(H317)			
				Aquatic Acute			
				1 (H400)			
2-Methyl-2H-	0.0015 -	(613-326-00-9)	-	(EUH071)	Skin Sens. 1A	10	1
isothiazol-3-one	< 0.025	220-239-6			:: C>=0.0015%		
2682-20-4				(H301)			
				Acute Tox. 3			
				(H311)			
				Acute Tox. 2			
				(H330)			
				Skin Corr. 1B			
				(H314)			
				Eye Dam. 1			
				(H318)			
				Skin Sens. 1A			
				(H317)			
				Aquatic Acute			
				1 (H400)			
				Aquatic			
				Chronic 1			
				(H410)			
Reaction mass of 5-	0.00015 -	611-341-5	-	(EUH071)	Eye Irrit. 2 ::	100	100
chloro-2-methyl-2H-	<0.0015				0.06%<=C<0.6		
isothiazol-3-one and				(H301)	%		
2-methyl-2H-				Acute Tox. 2	Skin Corr. 1C		
isothiazol-3-one (3:1)				(H310)	:: C>=0.6%		
55965-84-9				Acute Tox. 2	Skin Irrit. 2 ::		
				(H330)	0.06%<=C<0.6		
				Skin Corr. 1C	%		
				(H314)	Skin Sens. 1A		
					:: C>=0.0015%		
				(H318)	Eye Dam. 1 ::		
				Skin Sens. 1A	C>=0.6%		
				(H317)	0.070		
				Aquatic Acute			
				1 (H400)			
				Aquatic			
				Chronic 1			
				(H410)			

Full text of H- and EUH-phrases: see section 16

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

•		,
Chemical name	CAS No	SVHC candidates
	0.10.11	
Calcium carbonate	471-34-1	-

<u>Classification according to GB CLP (SI 2020/1567 as amended)</u>
[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Get medical attention if irritation or other symptoms occur. Show this safety data sheet to

the doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if

symptoms occur. Administer oxygen if breathing is difficult.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash with soap and water. Get medical attention if irritation develops and persists. May

cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor. In the event of any sensitisation symptoms developing, ensure further exposure is

avoided.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting without

medical advice. If vomiting occurs spontaneously, keep head below hips to prevent

aspiration. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction. Itching. Rashes. Hives. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. Prolonged or repeated contact

may dry skin and cause irritation. May cause temporary eye irritation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctorsMay cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical, CO2, alcohol-resistant foam or water spray. Use extinguishing agent suitable

for type of surrounding fire.

Unsuitable extinguishing media Full water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

Hazardous combustion products Carbon oxides.

5.3. Advice for firefighters

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Do not handle until all safety precautions have been read and understood. Keep people

away from and upwind of spill/leak. Ensure adequate ventilation. Avoid breathing dust or spray mist. Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash thoroughly after handling. Do not touch or walk through spilled material.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautionsAvoid release to the environment. Local authorities should be advised if significant spillages

cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Small spill: Wipe up with absorbent

material (eg. cloth, fleece). Large spill: Cover liquid spill with sand, earth or other

noncombustible absorbent material. Pick up and transfer to properly labelled containers.

After cleaning, flush away traces with water. Wash thoroughly after handling.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Read carefully and

follow all instructions. Ensure adequate ventilation. Wear personal protective equipment. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid breathing vapours or mists. Do not eat, drink or smoke when using this product. Keep out of reach of children. Keep away from food, drink and animal feedingstuffs. Keep container

closed when not in use.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Do not eat, drink or

smoke when using this product. Take off all contaminated clothing and wash it before

reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store in accordance

with local regulations. Keep container upright. Store away from incompatible materials.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
Calcium carbonate	TWA: 10 mg/m ³
471-34-1	TWA: 4 mg/m ³
Titanium dioxide [in powder form containing 1 % or more of particles	TWA: 10 mg/m ³
with aerodynamic diameter ≤10 μm]	TWA: 4 mg/m ³
13463-67-7	STEL: 30 mg/m ³
	STEL: 12 mg/m ³

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
1,2-Benzisothiazol-3(2H)-one		0.966 mg/kg bw/day [4] [6]	6.81 mg/m ³ [4] [6]
2634-33-5			
2-Methyl-2H-isothiazol-3-one			0.021 mg/m ³ [5] [6]
2682-20-4			0.043 mg/m ³ [5] [7]
Bronopol		2 mg/kg bw/day [4] [6]	3.5 mg/m ³ [4] [6]
52-51-7		6 mg/kg bw/day [4] [7]	10.5 mg/m ³ [4] [7]
		8 μg/cm2 [5] [6]	2.5 mg/m ³ [5] [6]
		8 μg/cm2 [5] [7]	2.5 mg/m ³ [5] [7]
Reaction mass of 5-chloro-2-methyl-			0.02 mg/m ³ [5] [6]
2H-isothiazol-3-one and 2-methyl-2H-			0.04 mg/m³ [5] [7]
isothiazol-3-one (3:1)			
55965-84-9			

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
1,2-Benzisothiazol-3(2H)-one 2634-33-5			1.2 mg/m³ [4] [6]
2-Methyl-2H-isothiazol-3-one 2682-20-4	0.027 mg/kg bw/day [4] [6] 0.053 mg/kg bw/day [4] [7]		0.021 mg/m ³ [5] [6] 0.043 mg/m ³ [5] [7]
Bronopol 52-51-7	0.18 mg/kg bw/day [4] [6] 0.5 mg/kg bw/day [4] [7]	2.1 mg/kg bw/day [4] [6] 2.1 mg/kg bw/day [4] [7] 4 µg/cm2 [5] [6] 4 µg/cm2 [5] [7]	0.6 mg/m³ [4] [6] 1.8 mg/m³ [4] [7] 0.6 mg/m³ [5] [7]
Reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) 55965-84-9	0.09 mg/kg bw/day [4] [6] 0.11 mg/kg bw/day [4] [7]		0.02 mg/m³ [5] [6] 0.04 mg/m³ [5] [7]

[4] Systemic health effects.[5] Local health effects.

[6] Long term. [7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
1,2-Benzisothiazol-3(2H)- one 2634-33-5	4.03 μg/L	1.1 μg/Ĺ	0.403 μg/L	110 ng/L	
2-Methyl-2H-isothiazol-3- one 2682-20-4	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	
Bronopol 52-51-7	0.01 mg/L	0.0025 mg/L	0.0008 mg/L		
Reaction mass of 5-chloro- 2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1) 55965-84-9	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
1,2-Benzisothiazol-3(2H)-	49.9 µg/kg sediment	4.99 µg/kg sediment	1.03 mg/L	3 mg/kg soil dw	
one	dw	dw			
2634-33-5					
2-Methyl-2H-isothiazol-3-			0.23 mg/L	0.0471 mg/kg soil	
one				dw	
2682-20-4					
Bronopol	0.041 mg/kg	0.00328 mg/kg	0.43 mg/L	0.5 mg/kg soil dw	
52-51-7	sediment dw	sediment dw			
Reaction mass of 5-chloro-	0.027 mg/kg	0.027 mg/kg	0.23 mg/L	0.01 mg/kg soil dw	
2-methyl-2H-isothiazol-3-	sediment dw	sediment dw			
one and 2-methyl-2H-					
isothiazol-3-one (3:1)					
55965-84-9					

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

Personal protective equipment

Eye/face protection

If there is a risk of contact:. Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

Wear suitable gloves. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is

detected. Frequent changes are recommended. Gloves must conform to standard EN 374.

Skin and body protectionWear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required. In case of insufficient ventilation, wear suitable respiratory equipment. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits

tightly and the filter is changed regularly.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Do not eat, drink or

smoke when using this product. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure controls Prevent product from entering drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid
Colour Light green
Odour Characteristic

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Melting point / freezing pointNo data availableInitial boiling point and boilingNo data available

range

Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Flash point

Autoignition temperature

No data available

Pecomposition temperature

No data available

No data available

Decomposition temperature

No data available

No data available

No data available

No data available

pH (as aqueous solution)

Kinematic viscosity

Dynamic viscosity

Miscible in water

No data available

No data available

No data available

Water solubility

Solubility(ies)

Partition coefficient

Vapour pressure

Relative density

Bulk density

Liquid Density

Vapour density

No data available

Particle characteristics

Particle Size No data available
Particle Size Distribution No data available

Explosive propertiesNo information available. **Oxidising properties**No information available.

9.2. Other information

VOC No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Excessive heat.

10.5. Incompatible materials

Incompatible materials Acids.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available. May cause gastrointestinal

discomfort.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause allergic skin reaction. Itching. Rashes. Hives. May cause temporary eye

irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Prolonged or repeated contact may dry skin and cause irritation.

Acute toxicity .

Numerical measures of toxicity

Based on available data, the classification criteria are not met.

Component Information

Component information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	>3 mg/L (Rat) 4h
Titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤10 µm]	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Bronopol	= 193 mg/kg (Rat)	= 1600 mg/kg (Rat)	> 5 g/m³ (Rat) 6 h
1,2-Benzisothiazol-3(2H)-one	490 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
2-Methyl-2H-isothiazol-3-one	= 120 mg/kg (Rat)	= 242 mg/kg (Rat)	= 0.11 mg/L (Rat) 4 h
Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	64 mg/kg (Rat)	87.12 mg/kg (Rat)	0.171 mg/L (Rat)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium carbonate (471-34-1)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Exposure route	Dermal
Effective dose	0.5 g
Exposure time	4 hours
Results	non-irritant non-irritant

2-Methyl-2H-isothiazol-3-one (2682-20-4)			
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion		
Effective dose	0.5 mL		
Exposure time	4 hours		
Results	Corrosive		

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)				
Exposure route	Dermal			
Effective dose	0.5 mL			
Exposure time	4 hours			
Results	Corrosive			

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information
Component information
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)
reaction mass of 6 children in Enry 211 isothiazor 5 one and 2 methyl 211 isothiazor 5 one (6.1) (65505 64 5)

Exposure route	Eye	
Effective dose	0.1 mL	
Exposure time	7	
Results	Eye Damage	

Respiratory or skin sensitisation May cause an allergic skin reaction.

Component Information	
1,2-Benzisothiazol-3(2H)-one (2634-33	9-5)
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Sensitising

2-Methyl-2H-isothiazol-3-one (2682-20-4)		
Method	OECD Test No. 406: Skin Sensitisation	
Exposure route	Dermal	
Results	Sensitising	

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Method	OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay	
Exposure route	Dermal	
Results	Sensitising	

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

United Kingdom
Carc. 2

Reproductive toxicity Based on available data, the classification criteria are not met.

Component Information		
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Method OECD Test No. 416: Two-Generation Reproduction Toxicity		
Results Not Classifiable		

STOT - single exposureBased on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Calcium carbonate	EC50: >200 mg/L (72h,	LC50: >10000mg/L (96h,	-	EC50: >1000 mg/L (48h,
	Algae)	Oncorhynchus mykiss)		Daphnia magna)
Titanium dioxide [in	EC50: 100mg/L (72h,	-	-	LC50: 500 mg/L (48h,
powder form containing 1	Algae)			Daphnia magna)
% or more of particles				_
with aerodynamic				
diameter ≤10 µm]				
Bronopol	EC50: 0.25 mg/L (72h,	LC50: 35.7 mg/L	EC20: 2 mg/L	EC50: 1.4 mg/L (48h,
	Skeletonema costatum)	(96h, Lepomis	(150 min, Activated	Daphnia magna)
		macrochirus)	sludge)	_
1,2-Benzisothiazol-3(2H)-	EC50: 150 µg/L (72h,	LC50: 16.7 mg/L (96h,	EC50: 13 mg/L	EC50: 2.9 mg/L (48h,
one	Pseudokirchneriella	Cyprinodon variegatus)	(3h, Activated sludge)	Daphnia magna)
	subcapitata)			
2-Methyl-2H-isothiazol-3-	EC50: >0.072 mg/L (72h,	LC50: 4.77 mg/L (96h,	EC50: 41 mg/L (3h,	LC50: 0.934 mg/L (48h,
one	Skeletonema costatum)	Oncorhynchus mykiss)	Activated sludge)	Daphnia magna)
Reaction mass of 5-	EC50: 6.3 µg/L (72h,	LC50: 0.19 mg/L	EC50: 4.5 mg/L	EC50: 0.16 mg/L (72h,
chloro-2-methyl-2H-	Skeletonema costatum)	(96h, Oncorhynchus	(3h, Activated sludge)	Daphnia magna)
isothiazol-3-one and 2-		mykiss)		
methyl-2H-isothiazol-3-				
one (3:1)				

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information			
1,2-Benzisothiazol-3(2H)-one (2634-33-	-5)		
Method	Exposure time	Value	Results
OECD Test No. 301C: Ready	63 days	85%	Not readily biodegradable
Biodegradability: Modified MITI Test (I)			
(TG 301 C)			

2-Methyl-2H-isothiazol-3-one (2682-20-4)				
Method	Exposure time	Value	Results	
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test	29 days	47.6 - 55.8%	Not readily biodegradable	
(TG 301 B)				

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)				
Method	Exposure time	Value	Results	
OECD Test No. 301B: Ready	29 days	62%	Readily biodegradable, failing	
Biodegradability: CO2 Evolution Test			10-d window	
(TG 301 B)				

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient

Bronopol	0.22
1,2-Benzisothiazol-3(2H)-one	0.7
2-Methyl-2H-isothiazol-3-one	-0.486
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-	0.326 - 2.519
methyl-2H-isothiazol-3-one (3:1)	

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB. PBT and vPvB assessment

The product does not contain an	y cabotaneo(o) ciacomoa ao i Bi ci vi vB:
Chemical name	PBT and vPvB assessment
Calcium carbonate	The substance is not PBT / vPvB PBT assessment does
	not apply
Titanium dioxide [in powder form containing 1 % or more of particles	The substance is not PBT / vPvB PBT assessment does
with aerodynamic diameter ≤10 μm]	not apply
Bronopol	The substance is not PBT / vPvB
1,2-Benzisothiazol-3(2H)-one	The substance is not PBT / vPvB
2-Methyl-2H-isothiazol-3-one	The substance is not PBT / vPvB
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	The substance is not PBT / vPvB
2H-isothiazol-3-one (3:1)	

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers. Since empty containers retain product residue, follow label

warnings even after container is emptied. Recover or recycle if possible.

SECTION 14: Transport information

IMDG Not regulated 14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users **Special Provisions**

14.7 Maritime transport in bulk No information available

according to IMO instruments

RID Not regulated 14.1 UN number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable

14.6 Special Precautions for Users

Special Provisions None

ADR
14.1 UN number or ID number
14.2 UN proper shipping name
14.3 Transport hazard class(es)
14.4 Packing group
14.5 Environmental hazards
Not regulated
Not regulated
Not applicable
Not applicable

14.6 Special Precautions for Users

Special Provisions None

IATANot regulated14.1UN number or ID numberNot regulated14.2UN proper shipping nameNot regulated14.3Transport hazard class(es)Not regulated14.4Packing groupNot applicable14.5Environmental hazardsNot applicable14.6Special Precautions for Users

Special Provisions None Note: None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (UK REACH - Annex XIV). This product does not contain substances subject to restriction (UK REACH - Annex XVII).

Persistent Organic Pollutants

Not applicable

Export Notification requirements

Not applicable

Named dangerous substances per COMAH Regulations 2015 (as amended)

Not applicable

The Ozone-Depleting Substances Regulations 2015

Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
Bronopol - 52-51-7	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 6:
	Preservatives for products during storage Product-type 11:
	Preservatives for liquid-cooling and processing systems
	Product-type 12: Slimicides Product-type 22: Embalming
	and taxidermist fluids
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 6:
	Preservatives for products during storage Product-type 9:
	Fibre, leather, rubber and polymerised materials
	preservatives Product-type 11: Preservatives for liquid-
	cooling and processing systems Product-type 12:
	Slimicides Product-type 13: Working or cutting fluid
	preservatives

2-Methyl-2H-isothiazol-3-one - 2682-20-4	Product-type 6: Preservatives for products during storage
	Product-type 11: Preservatives for liquid-cooling and
	processing systems Product-type 12: Slimicides Product-
	type 13: Working or cutting fluid preservatives
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Product-type 2: Disinfectants and algaecides not intended
2H-isothiazol-3-one (3:1) - 55965-84-9	for direct application to humans or animals Product-type 4:
	Food and feed area Product-type 6: Preservatives for
	products during storage Product-type 11: Preservatives for
	liquid-cooling and processing systems Product-type 12:
	Slimicides Product-type 13: Working or cutting fluid
	preservatives

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended) Not applicable

Poisons Act 1972 (Explosive Precursors) Regulations (as Amended)

Not applicable

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH071 - Corrosive to the respiratory tract

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H335 - May cause respiratory irritation

H351i - Suspected of causing cancer if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitisers SCBA Self-contained breathing apparatus

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method

Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Supersedes Date 24-Oct-2019

Issuing Date 09-Feb-2023

Revision Date 09-Feb-2023

Revision Note Updated format; Change to composition

Further information BG-SDS-412

This material safety data sheet complies with the requirements of UK REACH

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

(M)SDS Number UL-BG-015



British Gypsum

Head Office, East Leake, Loughborough, Leicestershire, LE12 6HX T: 0115 945 1000

british-gypsum.com



"Gyproc", "Thistle", "ThistlePro", "Gypframe" and "Glasroc" are all registered trademarks of Saint-Gobain Construction Products UK Limited. "Isover" is a registered trademark of Saint-Gobain Isover (French legal entity) and "Artex" is a registered trademark of Saint-Gobain Construction Products UK Limited.

Saint-Gobain Construction Products UK Limited is a limited company registered in England under company number 734396, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU, UK. Saint-Gobain Construction Products UK Limited trades as British Gypsum for part of its business activities.

British Gypsum reserves the right to revise product specification without notice. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work. For a comprehensive and up-to-date library of information visit the British Gypsum website at: british-gypsum.com. For information about products supplied by Artex Limited or Saint-Gobain Isover please see their respective websites.

"British Gypsum" is a registered trademark of Saint-Gobain Construction Products UK Limited.