

Declaration of Performance

ThistlePro performance finish coat plasters



1 Unique identification code of the product type:	ThistlePro performance finish coat plasters
2 Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):	ThistlePro FastSet Finish EN13279 B1/20/2
3 Intended use/s:	Gypsum plaster for internal wall linings (finish coat for two coat plaster systems or skim finish for drylinings)
4 Manufacturer:	British Gypsum Registered in England 734396 East Leake, Loughborough, Leicestershire LE12 6HX Tel: +44 (0)115 945 1000
5 Authorised representative:	N/A
6 System/s of AVCP:	System 4 generally System 3 Reaction to Fire
7 Harmonised standard:	EN 13279-1:2008
Notified body/ies:	Warrington Fire (NB 1173)
Performed:	Reaction to Fire
Under:	System 3
8 European Assessment Document:	N/A
European Technical Assessment:	N/A
Technical Assessment Body:	N/A
Notified body/ies:	N/A
9 Declared performance/s:	The characteristics in the table below apply to all products mentioned in 2 above.

Essential characteristics	Performance	Harmonised technical specification
Reaction to Fire (R2F)	A1	EN 13279-1:2008
Direct airborne sound insulation ¹ (R)	See manufacturer's literature	EN 13279-1:2008
Thermal Resistance (TR)	0.004m ² K/W	EN 13279-1:2008

¹ These characteristics are system dependent and will be provided in manufacturer's literature based upon intended use.

Declaration of Performance

ThistlePro performance finish coat plasters



10 Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

East Leake 6/1/2022

.....
Dean O'Sullivan, Managing Director, British Gypsum

.....
Place and date of issue