

Declaration of Performance

ThistlePro performance finish coat plasters



| | |
|---|---|
| 1 Unique identification code of the product type: | ThistlePro performance finish coat plasters |
| 2 Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4): | ThistlePro FastSet Finish EN13279 B1/20/2 |
| 3 Intended use/s: | Gypsum plaster for internal wall linings (finish coat for two coat plaster systems or skim finish for drylinings) |
| 4 Manufacturer: | British Gypsum Registered in England 734396 East Leake, Loughborough, Leicestershire LE12 6HX Tel: +44 (0)115 945 1000 |
| 5 Authorised representative: | N/A |
| 6 System/s of AVCP: | System 4 generally System 3 Reaction to Fire |
| 7 Harmonised standard: | EN 13279-1:2008 |
| Notified body/ies: | Warrington Fire (AB 0833) |
| Performed: | Reaction to Fire |
| Under: | System 3 |
| 8 European Assessment Document: | N/A |
| European Technical Assessment: | N/A |
| Technical Assessment Body: | N/A |
| Notified body/ies: | N/A |
| 9 Declared performance/s: | The characteristics in the table below apply to all products mentioned in 2 above. |

| Essential characteristics | Performance | Harmonised technical specification |
|---|-------------------------------|------------------------------------|
| Reaction to Fire (R2F) | A1 | EN 13279-1:2008 |
| Direct airborne sound insulation ¹ (R) | See manufacturer's literature | EN 13279-1:2008 |
| Thermal Resistance (TR) | 0.004m ² K/W | EN 13279-1:2008 |

¹ These characteristics are system dependent and will be provided in manufacturer's literature based upon intended use.

Declaration of Performance

ThistlePro performance finish coat plasters



**UK
CA**

10 Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

.....

Dean O'Sullivan, Managing Director, British Gypsum

East Leake 14/1/2022

.....

Place and date of issue