



REACH NEW HEIGHTS

Pioneering ceiling systems that set new heights in design

We care about building better for people and the planet.

Gyptone Quattro 41 on GypCeiling MF system

A higher standard of ceilings

We use our pioneering plastering and drylining products to create better built environments where people can work, rest and play.

We're on a mission to take ceilings to new heights, so they can be real room enhancers, not an afterthought.

Our range of ceiling products is designed to offer the strongest performance. From better acoustic absorption and noise control to improved speech intelligibility, our ceilings allow you to create beautiful spaces that work hard.

Contents

Section 1 - Introduction

- Page 2 A higher standard of ceilings
- Page 3 Contents
- Page 4-5 Every system, every product

Section 2 - Systems

- Page 6-11 GypCeiling® MF system
- Page 12-13 GypCeiling® Grid / Gyplex tiles
- Page 14-19 GypCeiling® Lining system

Section 3 - Products

- Page 20-21 Gyptone® boards
- Page 22-23 Rigitone® boards
- Page 24-25 Appendix

Section 4 - Technical expertise

- Page 26-27 Here to help

Gyptone Quattro 41 on GypCeiling MF system

Every system, every product

In this brochure, you'll find our full range of drylining systems and products that can be used to create breathtaking ceilings that look better, work harder and make spaces healthier, and improve acoustic performance for greater speech clarity and better concentration.

From GypCeiling Grid to Rigitone acoustic boards, everything you need to build better ceilings can be found right here.

Plus, when you use the full system, including CasoLine Quick-Lock Grid components, you'll receive a **SpecSure**[®] lifetime warranty.*



* Please see page 26 for more information on the **SpecSure**[®] warranty.

Quattro 42 board (painted grey)
on GypCeiling MF system

GypCeiling MF system

Stare at these ceilings

GypCeiling® MF creates ceilings that have to be seen to be believed. It works harmoniously with Gyproc® plasterboards and Gyptone® and Rigitone® ceiling boards to create seamless ceilings that deliver fire resistance and effective sound absorption.

Whether you've envisioned a flat or curved ceiling, GypCeiling MF is exactly what you need to bring it to life.



GypCeiling MF system


Seamless ceilings for lofty ambitions


We're making it easier than ever to create ceilings that look better and work harder, and GypCeiling MF is the perfect example. It's a suspended ceiling system that looks magnificent as part of a flat or curved installation, creating a focal point that gets people looking and talking.

Suitable for most internal drylining applications, we're here to support you with even the most complex installations. It works with Gyproc plasterboard and ceiling boards from our Gyptone and Rigitone ranges, and you can take your pick from our wide range of perforation patterns to achieve the exact look you want.

This seamless, monolithic ceiling system provides high performance in abundance. By selecting the right performance specification and product mix, you can achieve up to 120 minutes of fire resistance - ideal for busy environments like schools and commercial buildings. What's more, Class B sound absorption can be achieved with Rigitone boards, creating better acoustic environments, improving speech clarity and aiding concentration.

For available patterns, designs and edge details, see pages 24-25 of this brochure. Please refer to the White Book online for features and benefits of this product.




Sound insulation
(airborne)
54-64 R_w dB

Performance relates to solid plasterboard specifications only.

 **SpecSure**[®]
BRITISH GYPSUM
SYSTEMS WARRANTY

*Please see page 26 for more information on the **SpecSure**[®] warranty.

Gyptone Sixto 63


GypCeiling MF system

GypCeiling MF is compatible with Gyptone® and Rigitone® ceiling boards and Gyproc® plasterboards, with a range of perforation patterns to achieve the perfect look.


Gyptone boards



Square



Rectangle



Hexagon

Size

Varied sizes. Please refer to british-gypsum.com for full details.

Framework

Gypframe MF channels and system components.

Access hatch



Square

Rectangle



Hexagon

Plain

Size

510 x 510 x 19 mm (hatch)
600 x 600 x 12.5 mm (frame)

Rigitone boards



Circle - random



Circle - random



Circle - regular



Circle - regular



Circle - regular



Circle - regular



Square - regular



Square - regular

Size

Varied sizes. Please refer to british-gypsum.com for full details.

Gyproc boards



Gyproc® SoundBloc




Gyproc® FireLine


Size

Varied sizes. Please refer to british-gypsum.com for full details.

Edge details



Square



Tapered

Gyprex® Satinspar

GypCeiling Grid system

GypCeiling Grid is compatible with our square-edge lay-in Gyprex tiles.

Gyprex tiles



Gyprex Satinspar white



Gyprex Satinspar black


Size

600 x 600 X 8 mm
1200 X 600 X 8 mm

Framework

CasoLine Quick-Lock Grid.

Edge details



A

Gyprex tiles

Gyprex tiles for brighter rooms

Gyprex® Satinspar

A vinyl-faced gypsum tile with a smooth finish, Gyprex® Satinspar is incredibly easy to clean as well as being easy on the eye. Used in conjunction with GypCeiling® Grid, Gyprex Satinspar is ideal for forming demountable suspended ceilings, particularly in environments where ease of cleaning is a key consideration. The smooth, satin finish helps to create light, bright and airy spaces, and it's also available in black for a sleek and sophisticated look. What's more, with the tiles' simple cleaning needs, those spaces will stay looking their best. Gyprex Satinspar is available with tile edge A in a range of sizes.

Gyprex® Bio

Gyprex® Bio contains a biocide within the vinyl face which is effective in killing e.Coli and MRSA (99.98%) when tested by an independent laboratory. The white vinyl face of the tile helps to spread light around the room, making any space look better, feel better and genuinely be better to be in. It's perfect for healthcare environments and any buildings where hygiene is a key concern, and it's stain-resistant too, so it's easy to clean and maintain the bright and airy feeling.

Please refer to the White Book online for features and benefits of this product.

GypCeiling Lining system

Higher levels for lining

An example of simple versatility, GypCeiling® Lining can be used across a wide range of projects, from residential properties to large commercial environments.

It's designed to work with our full range of Gyptone, Rigitone and Gyproc boards, and with just a 25mm ceiling cavity required, it's ideal for making the most of limited space, or spaces where the existing ceiling needs to stay.

Gyptone Quattro 41

GypCeiling Lining system


Level up any space

With GypCeiling Lining, you can ensure any space is fitted with the perfect simple ceiling. Easy to install and as versatile as they come, it's ideal for refurbishments, new build properties and commercial spaces alike. With our full range of Gyptone and Rigitone acoustic boards and Gyproc® plasterboards, you can expect much-improved performance as well as the perfect finish.

When used in conjunction with Gyproc FireLine, GypCeiling Lining can offer up to 60 minutes of fire resistance for increased escape times in emergency situations. Up to Class B acoustic performance can be achieved with Rigitone acoustic boards, which means speech will be more intelligible and conversations will be clearer. It's a ceiling system that improves so much more than the appearance of a space.

Want to preserve your existing ceiling height? No problem - with GypCeiling Lining, you only need 25mm of ceiling cavity, so you can maximise the space available to you and preserve the room's height with minimal fuss.

For available patterns, designs and edge details, see pages 24-25 of this brochure. Please refer to the White Book online for features and benefits of this product.




*Please see page 26 for more information on the SpecSure® warranty.

Gyptone Line 6


GypCeiling Lining system

With GypCeiling Lining, you can use a variety of patterns for Gyptone, Rigitone and Gyproc boards, plus access hatches and two types of edge detail.


Gyptone boards



Square



Rectangle



Hexagon


Size

Varied sizes. Please refer to british-gypsum.com for full details.


Framework

Gypframe MF channels and system components.


Access hatch



Square



Rectangle



Hexagon



Plain

Size

510 x 510 x 19 mm (hatch)
600 x 600 x 12.5 mm (frame)

Rigitone boards



Circle - random



Circle - random



Circle - regular



Circle - regular



Square - regular



Square - regular



Circle - regular



Circle - regular

Size

Varied sizes. Please refer to british-gypsum.com for full details.

Gyproc boards



Gyproc® SoundBloc




Gyproc® FireLine


Size

Varied sizes. Please refer to british-gypsum.com for full details.

Edge details



A



Tapered




Gyptone boards

Always raising the level

With an extensive range of patterns and sizes, and unmatched design quality, Gyptone® boards combine unique aesthetics with tried and tested acoustic performance and a high fire rating.

Easy to maintain, clean and repaint, you can use Gyptone products to create aesthetic ceilings, including using the boards to create curves. ACTIVair® makes indoor air healthier by eliminating up to 70% of formaldehyde present in indoor air.*



Selection of board products

For available patterns, designs and edge details, see pages 24-25 of this brochure. Please refer to the White Book online for features and benefits of this product.

*Please refer to footnote on page 23.


Rigitone® boards

Rigitone boards

Coming in loud and clear

Create seamless ceilings with tried and tested acoustic performance with Rigitone® acoustic boards. Acoustic tissue is fitted on the reverse, which improves sound absorption in offices, schools, lecture halls and anywhere that people need to be heard.

You can integrate lighting, ventilation systems and speakers with ease, and repaint the surface with no impact on its performance. ACTIVair® makes indoor air healthier by eliminating up to 70% of formaldehyde present in indoor air.*



Selection of Rigitone boards


There are eight perforation patterns available for Rigitone boards. For available patterns, designs and edge details, see pages 24-25 of this brochure. Please refer to the White Book online for features and benefits of this product.

*Formaldehyde reduction is based on experimental data following ISO16000-23 standards from 0.4m² to 1.4m² installed/m³ room. Lifetime has been confirmed experimentally and analytically on a commercial board sample in the frame of a collaborative work with independent certified body ULE and Pr J.Zhang, University of Syracuse, expert in Environmental Chemistry and Engineering, Mechanical Ventilation and Indoor Air Quality.

Appendix

British Gypsum ceiling tiles and boards come in a range of different sizes and patterns. Gyptone comes in three patterns: Quattro (squares), Line (rectangles), Sixto (hexagons). Below is a design selector for the different patterns available. Rigitone comes in either regular or random patterns and has eight different aesthetic finishes.


Gyptone boards



Gyptone Quattro 41



Gyptone Quattro 42




Gyptone Quattro 46




Gyptone Quattro 47




Gyptone Quattro 71



Gyptone Line 6



Gyptone Sixto 63




Gyptone Quattro 43


Rigitone boards



Rigitone 8-15-20 Super



Rigitone 8/18




Rigitone 8/18Q



Rigitone 10/23




Rigitone 12-20/66



Rigitone 12/25




Rigitone 12/25Q



Rigitone 15/30


Gyprex tiles



Gyprex Satinspar white




Gyprex Satinspar black



Gyprex Bio


Edge details

Tiles




A

Gyproc boards




Square



Tapered

Boards



Tapered

Here to help

Technical expertise

As well as making ceiling systems and products, we're dedicated to ensuring you have everything you need to build better spaces. From installation guides and training courses to our unrivalled **SpecSure**[®] lifetime warranty*, you're in the safest of hands when you use our products.

***SpecSure[®] warranty**

The **SpecSure**[®] warranty protects your systems, products and your work, giving you peace of mind before, during and long after your project. The pioneering warranty guarantees that our drylining systems will perform as specified for the lifetime of the building, and that you'll have access to the UK's largest technical support team through every stage of your project, both on and off-site.

See british-gypsum.com for more information.

Installation Guidance

Our systems are designed to make installing our products as simple as possible. You can access installation guides and support via Technical Support on british-gypsum.com

Build Better Academy

With a huge range of industry-leading training courses, we have upskilling opportunities for everyone. Courses can be booked through our site, so you can get started in just a few clicks.

The White Book Specification Selector

The online White Book Specification selector lets you select your building element and filter and choose your specifications. Plus, you can download all documentation, including BIM and .dwg CAD files and create a personalised project pack with ease, all on our website.

Please refer to british-gypsum.com for full details.



SAINT-GOBAIN

British Gypsum
 Head Office, East Leake,
 Loughborough,
 Leicestershire, LE12 6HX
 T: 0115 945 1000
british-gypsum.com



“Gyproc”, “Thistle”, “ThistlePro”, “Gypframe” and “Glasroc” are all registered trademarks of Saint-Gobain Construction Products UK Limited. “Isover” is a registered trademark of Saint-Gobain Isover (French legal entity) and “Okarno” is a registered trademark of Saint-Gobain Construction Products UK Limited.

Saint-Gobain Construction Products UK Limited is a limited company registered in England under company number 734396, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU, UK. Saint-Gobain Construction Products UK Limited trades as British Gypsum for part of its business activities.

British Gypsum reserves the right to revise product specification without notice. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work. For a comprehensive and up-to-date library of information visit the British Gypsum website at: british-gypsum.com. For information about products supplied by Okarno Limited or Saint-Gobain Isover please see their respective websites.

“British Gypsum” is a registered trademark of Saint-Gobain Construction Products UK Limited.