



REACH NEW HEIGHTS

Pioneering ceiling systems that
set new heights in design

**We care about building better
for people and the planet.**

Gyptone Quattro 41 on GypCeiling MF system

A higher standard of ceilings

We use our pioneering plastering and drylining products to create better built environments for people to work, rest and play in.

We're on a mission to take ceilings to new heights, so they can be real room enhancers, not an afterthought.

Our range of ceiling products is designed to offer the strongest performance. From better acoustic absorption and noise control to improved speech intelligibility, our ceilings allow you to create beautiful spaces that work hard.

Contents

Section 1 - Introduction

- Page 2 A higher standard of ceilings
- Page 3 What's included
- Page 4-5 Every system, every product

Section 2 - Systems

- Page 6-11 GypCeiling® MF system
- Page 12-17 GypCeiling® Grid system
- Page 18-23 GypCeiling® Concealed system
- Page 24-29 GypCeiling® Lining system

Section 3 - Products

- Page 30-31 Gyptone® tiles and boards
- Page 32-33 Rigitone® boards for seamless ceilings
- Page 34-35 Gyprex® tiles for brighter, better rooms
- Page 36-37 The brilliance of CasoLine Quick-Lock Grid
- Page 38-39 Appendix

Section 4 - Technical expertise

- Page 40-41 Your questions answered

Gyptone Quattro 41 on GypCeiling MF system

Every system, every product

In this brochure, you'll find our full range of drylining systems and products that can be used to create breathtaking ceilings that look better, work harder and make spaces healthier, and improve acoustic performance for greater speech clarity and better concentration.

From GypCeiling Concealed to Rigitone acoustic boards, everything you need to build better ceilings can be found right here.

Plus, when you use the full system, including CasoLine Quick-Lock Grid components, you'll receive a **SpecSure**[®] lifetime warranty.*



* Please see page 40 for more information on the **SpecSure**[®] warranty.

Quattro 42 board (painted grey)
on GypCeiling MF system

GypCeiling MF system

Stare at these ceilings

GypCeiling® MF creates ceilings that have to be seen to be believed. It works harmoniously with Gyproc® plasterboards and Gyptone® and Rigitone® ceiling boards to create stunning seamless ceilings that deliver fire resistance and effective sound absorption.

Whether you've envisioned a flat or curved ceiling, GypCeiling MF is exactly what you need to bring it to life.



GypCeiling MF system


Seamless ceilings for lofty ambitions

We're making it easier than ever to create ceilings that look better and work harder, and GypCeiling MF is the perfect example. It's a suspended ceiling system that looks magnificent as part of a flat or curved installation, creating a focal point that gets people looking and talking.

Suitable for most internal drylining applications, we're here to support you with even the most complex installations. It works perfectly with Gyproc plasterboard and ceiling boards from our Gyptone and Rigitone ranges, and you can take your pick from our wide range of perforation patterns to achieve the exact look you want.

This seamless, monolithic ceiling system provides high performance in abundance. By selecting the right performance specification and product mix, you can achieve up to 120 minutes of fire resistance - ideal for busy environments like schools and commercial buildings. What's more, Class B sound absorption can be achieved with Rigitone boards, creating better acoustic environments, improving speech clarity and aiding concentration.

For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.



Sound insulation (airborne)
54-64 R_w dB

Performance relates to solid plasterboard specifications only.




*Please see page 40 for more information on the SpecSure warranty.

Gyptone Sixto 63

GypCeiling MF system

GypCeiling MF is compatible with Gyptone® and Rigitone® ceiling boards and Gyproc® plasterboards, with a range of perforation patterns to achieve the perfect look.


Gyptone boards



Square



Rectangle



Hexagon


Size

Varied sizes. Please refer to british-gypsum.com for full details.

Framework

Gypframe MF channels and system components.

Access hatch



Square

Rectangle



Hexagon

Plain

Size

510 x 510 x 19 mm (hatch)
600 x 600 x 12.5 mm (frame)

Rigitone boards



Circle - random



Circle - random



Circle - regular



Circle - regular



Circle - regular



Circle - regular



Square - regular



Square - regular

Size

Varied sizes. Please refer to british-gypsum.com for full details.

Gyproc boards



Gyproc® SoundBloc




Gyproc® FireLine


Size

Varied sizes. Please refer to british-gypsum.com for full details.

Edge details



Square



Tapered

GypCeiling Grid system

The pinnacle of ceiling design

Build ceilings that make spaces look and sound better with GypCeiling® Grid, a lightweight demountable grid system that's compatible with Gyptone® and Gyptone® ceiling tiles.

It's designed to make installation simple, and with up to Class B acoustic performance, it absorbs noise with ease.

GypCeiling Grid system

The reason to look up

Ceilings can do so much more than just make a room look better. With the acoustic performance of GypCeiling Grid, you can enjoy a more comfortable atmosphere, better sounding spaces and clearer conversations under a striking ceiling.

This demountable grid system is designed for ease of installation and easy ceiling access. It's compatible with all of our square-edge and tegular lay-in Gyptone and Gyprex tiles, and the simple hook-on connections mean the grid is stabilised as soon as one cross tee is in place. Should you need to access the ceiling cavity further down the line, you can simply remove the tiles by hand.

For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.



*Please see page 40 for more information on the SpecSure warranty.



GypCeiling Grid system

GypCeiling Grid is compatible with all of our square-edge and tegular lay-in Gyprex and Gyptone tiles, so you can create the perfect ceiling system with ease.

Gyprex tiles



Gyprex Satinspar white



Gyprex Satinspar black




Gyprex Bio

Size
600 x 600 X 8 mm
1200 X 600 X 8 mm

Framework
CasoLine Quick-Lock Grid

Gyptone tiles




Square




Plain



Rectangle




Hexagon




Circle

Size
600 x 600 mm

Edge details



Square



E15 - tegular

Gyptone Sixto 60

GypCeiling Concealed system

Set your sights on greater heights

GypCeiling® Concealed is an easy to install demountable ceiling grid system, which hides the ceiling grid for a smooth, breathtaking appearance and up to Class C acoustic absorption.

GypCeiling Concealed system

A higher standard for working and living

There's more to a beautiful space than four walls and a floor. With GypCeiling Concealed, your ceiling can be the focal point of a room, creating spaces that are better to look at and better to be in. It's easy to install, and when it's combined with our Gyptone tiles it creates stunning ceiling designs. Our GypCeiling Concealed system incorporate a D2 edge providing a fresh look and sleek finish.

Not only can GypCeiling Concealed make a space look and sound better, it also pairs with Gyptone tiles to make use of our ACTIVair® technology. ACTIVair® makes indoor air healthier by eliminating up to 70% of formaldehyde present in indoor air.

There's no need to worry about complex installations - with simple connections and specially designed tile edges, plus our support guides, the ceiling can be fitted with ease.

For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.


Sound absorption
coefficient
0.35-0.70 α_w

 **SpecSure**[®]
BRITISH GYPSUM
SYSTEMS WARRANTY

*Please see page 40 for more information on the **SpecSure**[®] warranty.

GypCeiling Concealed system

Choose from a range of Gyptone Tile designs with the latest D2 edge type - to create the exact appearance you want for your GypCeiling Concealed system.


Gyptone tiles



Square




Rectangle



Circle



Plain




Hexagon

Size
600 x 600 mm

Framework
CasoLine Quick-Lock Grid

Edge details



D2

GypCeiling Lining system

Higher levels for lining

The perfect example of simple versatility, GypCeiling® Lining can be used across a wide range of projects, from residential properties to large commercial environments.

It's designed to work with our full range of Gyptone, Rigitone and Gyproc boards, and with just a 25mm ceiling cavity required, it's ideal for making the most of limited space, or spaces where the existing ceiling needs to stay.

Gyptone Quattro 41

GypCeiling Lining system

Level up any space

With GypCeiling Lining, you can ensure any space is fitted with the perfect simple ceiling. Easy to install and as versatile as they come, it's ideal for refurbishments, new build properties and commercial spaces alike. With our full range of Gyptone and Rigitone acoustic boards and Gyproc® plasterboards, you can expect much-improved performance as well as the perfect finish.

When used in conjunction with Gyproc FireLine, GypCeiling Lining can offer up to 60 minutes of fire resistance for increased escape times in emergency situations. Up to Class B acoustic performance can be achieved with Rigitone acoustic boards, which means speech will be more intelligible and conversations will be clearer. It's a ceiling system that improves so much more than the appearance of a space.

Want to preserve your existing ceiling height? No problem - with GypCeiling Lining, you only need 25mm of ceiling cavity, so you can maximise the space available to you and preserve the room's height with minimal fuss.

For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.




Sound absorption coefficient
0.35-0.85 α_w




*Please see page 40 for more information on the **SpecSure**® warranty.

Gyptone Line 6

GypCeiling Lining system

With GypCeiling Lining, you can use a variety of patterns for Gyptone, Rigitone and Gyproc boards, plus access hatches and two types of edge detail.


Gyptone boards



Square



Rectangle



Hexagon


Size

Varied sizes. Please refer to british-gypsum.com for full details.

Framework

Gypframe MF channels and system components

Access hatch



Square

Rectangle



Hexagon

Plain

Size

510 x 510 x 19 mm (hatch)
600 x 600 x 12.5 mm (frame)

Rigitone boards



Circle - random



Circle - random



Circle - regular



Circle - regular



Square - regular



Square - regular



Circle - regular



Circle - regular

Size

Varied sizes. Please refer to british-gypsum.com for full details.

Gyproc boards



Gyproc® SoundBloc




Gyproc® FireLine


Size

Varied sizes. Please refer to british-gypsum.com for full details.

Edge details



A



Tapered




Gyptone tiles and boards


Always raising the level

With an extensive range of patterns and sizes, and unmatched design quality, Gyptone® tiles and boards combine unique aesthetics with tried and tested acoustic performance and a high fire rating.

Easy to maintain, clean and repaint, you can use Gyptone products to create stunning ceilings, including using the boards to create curves. ACTIVair® makes indoor air healthier by eliminating up to 70% of formaldehyde present in indoor air.



Selection of tile products



Selection of board products

For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.


Rigitone® boards

Rigitone boards

Coming in loud and clear

Create seamless ceilings with tried and tested acoustic performance with Rigitone® acoustic boards. Acoustic tissue is fitted on the reverse, which improves sound absorption in offices, schools, lecture halls and anywhere that people need to be heard.

You can integrate lighting, ventilation systems and speakers with ease, and repaint the surface with no impact on its performance. ACTIVair® makes indoor air healthier by eliminating up to 70% of formaldehyde present in indoor air.*



Selection of Rigitone boards

There are eight perforation patterns available for Rigitone boards. For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.

*Formaldehyde reduction is based on experimental data following ISO16000-23 standards from 0.4m² to 1.4m² installed/m³ room. Lifetime has been confirmed experimentally and analytically on a commercial board sample in the frame of a collaborative work with independent certified body ULE and Pr J.Zhang, University of Syracuse, expert in Environmental Chemistry and Engineering, Mechanical ventilation and indoor air quality.

Gyprex tiles

Gyprex tiles for brighter, better rooms

Gyprex® Satinspar

A vinyl-faced gypsum tile with a smooth finish, Gyprex® Satinspar is incredibly easy to clean as well as being easy on the eye. Used in conjunction with GypCeiling® Grid, Gyprex Satinspar is ideal for forming demountable suspended ceilings, particularly in environments where ease of cleaning is a key consideration. The smooth, satin finish helps to create light, bright and airy spaces, and it's also available in black for a sleek and sophisticated look. What's more, with the tiles' simple cleaning needs, those spaces will stay looking their best. Gyprex Satinspar is available with tile edge A in a range of sizes.

Gyprex® Bio

Gyprex® Bio actively makes spaces healthier by stopping common types of fungi and bacteria from growing, including Salmonella, MRSA and e.Coli, thanks to the biocide contained within the ceiling tiles. The white vinyl face of the tile helps to spread light around the room, making any space look better, feel better and genuinely be better to be in. It's perfect for healthcare environments and any buildings where hygiene is a key concern, and it's stain-resistant too, so it's easy to clean and maintain the bright and airy feeling.



Selection of Gyprex tiles


Gyprex Satinspar and Gyprex Bio are available with tile edge A in a range of sizes. For more information see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.

CasoLine Quick-Lock Grid

Easy installation, easy on the eye

CasoLine Quick-Lock Grid makes demountable ceiling grids simple. It's centred around stability; the innovative design means that once you've fitted one cross tee in place, the whole structure is stabilised, so you can continue the installation without a hitch. Once you've installed it, it's easy to level the ceiling, thanks to the adjustable metal hangers.

For available patterns, designs and edge details, see pages 38-39 of this brochure. Please refer to the White Book online for features and benefits of this product.




*Please see page 40 for more information on the SpecSure® warranty.




Appendix

British Gypsum ceiling tiles and boards come in a range of different sizes and patterns. Gyptone comes in five patterns: Quattro (squares), Line (rectangles), Point (circles), Sixto (hexagons) and Base (plain). Below is a design selector for the different patterns available. Rigitone comes in either regular or random patterns and has eight different aesthetic finishes.


Gyptone tiles



Gyptone boards




Rigitone boards




Gyprex tiles



Edge details



Gyproc boards



Here to help

Technical expertise

As well as making ceiling systems and products, we're dedicated to ensuring you have everything you need to build better spaces. From installation guides and training courses to our unrivalled **SpecSure**[®] lifetime warranty*, you're in the safest of hands when you use our products.

*SpecSure[®] warranty

The **SpecSure**[®] warranty protects your systems, products and your work, giving you peace of mind before, during and long after your project. The pioneering warranty guarantees that our drylining systems will perform as specified for the lifetime of the building, and that you'll have access to the UK's largest technical support team through every stage of your project, both on and off-site.

See british-gypsum.com for more information.

Installation Guidance

Our systems are designed to make installing our products as simple as possible. You can access installation guides and support via Technical Support on british-gypsum.com

Build Better Academy

With a huge range of industry-leading training courses, we have upskilling opportunities for everyone. Courses can be booked through our site, so you can get started in just a few clicks.

The White Book Specification Selector

The online White Book Specification selector lets you select your building element and filter and choose your specifications. Plus, you can download all documentation, including BIM and .dwg CAD files and create a personalised project pack with ease, all on our website.

Please refer to british-gypsum.com for full details.



"Gyproc", "Thistle", "ThistlePro", "Gypframe" and "Glasroc" are all registered trademarks of Saint-Gobain Construction Products UK Limited. "Isover" is a registered trademark of Saint-Gobain Isover (French legal entity) and "Artex" is a registered trademark of Saint-Gobain Construction Products UK Limited.

Saint-Gobain Construction Products UK Limited is a limited company registered in England under company number 734396, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU, UK. Saint-Gobain Construction Products UK Limited trades as British Gypsum for part of its business activities.

British Gypsum reserves the right to revise product specification without notice. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work. For a comprehensive and up-to-date library of information visit the British Gypsum website at: british-gypsum.com. For information about products supplied by Artex Limited or Saint-Gobain Isover please see their respective websites.

"British Gypsum" is a registered trademark of Saint-Gobain Construction Products UK Limited.