

# Declaration of Performance

Gypframe® GL Brackets

UK  
CA

1	<b>Unique identification code of the product type:</b>	Gypframe GL Brackets
2	<b>Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):</b>	Gypframe GL2 Bracket, Gypframe GL9 Bracket, Gypframe GL12 GypLyner Bracket
3	<b>Intended use/s:</b>	Metal framing components for gypsum plasterboard systems
4	<b>Manufacturer:</b>	British Gypsum Registered in England 734396 East Leake, Loughborough, Leicestershire LE12 6HX Tel: +44 (0) 115 945 1000
5	<b>Authorised representative:</b>	N/A
6	<b>System/s of AVCP:</b>	System 4
7	<b>Designated standard:</b> <b>Approved body/ies:</b>	EN 13964:2014 N/A
8	<b>European Assessment Document:</b> <b>European Technical Assessment:</b> <b>Technical Assessment Body:</b> <b>Approved body/ies:</b>	N/A N/A N/A N/A
9	<b>Declared performance/s:</b>	The characteristics in the table below apply to all products mentioned in 2 above.

Essential characteristics	Performance	Harmonised technical specification
Reaction to Fire (R2F)	A1	EN 13964:2014
Yield strength ( $\sigma$ )	140N/mm <sup>2</sup>	EN 13964:2014
Loadbearing capacity (L)	L500b	EN 13964:2014
Dangerous Substances (DS)	NPD	EN 13964:2014
Durability	Class B	EN 13964:2014

## 10 Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Dean O'Sullivan, Managing Director, British Gypsum

East Leake 7/1/2022

Place and date of issue