

# Product data sheet

## Gypframe® GAH2 Acoustic Hanger

Steel acoustic hanger.

### Where to use

Resilient hangers used in conjunction with the GypCeiling MF ceiling system and timber joist ceilings and floors for increased sound insulation.

### Certifications

Environmental Product Declaration (EPD) available [Click here.](#)



## Product information

### Composition

Steel with acoustic isolator.

### Where to buy


[Click here.](#)

### Colour

Steel.

## DIMENSIONS AND WEIGHTS

|                          |    |
|--------------------------|----|
| Lengths available (mm)   | 70 |
| Bespoke length available | No |
| Width (mm)               | 30 |
| Gauge (mm)               | -  |
| Weight (kg/lm)           | -  |



## Performance

Here we only provide performance information related to the product. Please see the White Book online for system-dependent performance.

### Standards

EN 13964:2014.

Declarations of Performance (DoP) available [Click here.](#)

|                                     |   |
|-------------------------------------|---|
| Reaction to fire                    | No performance determined, please contact Technical Support on <a href="http://british-gypsum.com">british-gypsum.com</a> for product component risk assessment |
| Yield strength (N/mm <sup>2</sup> ) | 140   |

## Installation guidance

Please see our White Book online for more information about installing and handling British Gypsum systems and Gypframe profiles. See the Gypframe Safety Data Sheet for guidance on health and safety, handling and storage.

## Fixing compatibility

Check the system specification for the required British Gypsum screw type.

# Product data sheet

## Gypframe® GAH2 Acoustic Hanger

### Sitework

#### Safety Data Sheet

Gypframe metal components Safety Data Sheet (SDS) available. [Click here.](#)

#### Packaging overview

Supplied in a cardboard box.

|                   |     |
|-------------------|-----|
| Quantity per pack | 100 |
|-------------------|-----|

### Environmental

#### Recyclability

Gypframe components are 100% recyclable.

#### Disposal

Waste from Gypframe metal framing components is fully recyclable. The European Waste Catalogue code is 12 01 01.

  
**SAINT-GOBAIN**

**British Gypsum**  
Head Office, East Leake,  
Loughborough,  
Leicestershire, LE12 6HX  
T: 0115 945 1000



"Gyproc", "Thistle", "ThistlePro", "Gypframe" and "Glasroc" are all registered trademarks of Saint-Gobain Construction Products UK Limited. "Isover" is a registered trademark of Saint-Gobain Isover (French legal entity) and "Artex" is a registered trademark of Saint-Gobain Construction Products UK Limited.

Saint-Gobain Construction Products UK Limited is a limited company registered in England under company number 734396, having its registered office at Saint-Gobain House, East Leake, Loughborough, Leicestershire, LE12 6JU, UK. Saint-Gobain Construction Products UK Limited trades as British Gypsum for part of its business activities.

British Gypsum reserves the right to revise product specification without notice. The information herein should not be read in isolation as it is meant only as guidance for the user, who should always ensure that they are fully conversant with the products and systems being used and their subsequent installation prior to the commencement of work. For a comprehensive and up-to-date library of information visit the British Gypsum website at: [british-gypsum.com](http://british-gypsum.com). For information about products supplied by Artex Limited or Saint-Gobain Isover please see their respective websites.

"British Gypsum" is a registered trademark of Saint-Gobain Construction Products UK Limited.